



PRODUCT NUMBER: 2095020
POWERCOAT® 950-20 NEOFIT

Protection against a wide range of chemical products (detergents, some solvents, acids and bases).

Honeywell

Overview

Reference Number

2095020

Product Type

Gloves

Range

Chemical Protection

Line

Heavy chemical

Brand

Honeywell

Brand formerly known as

SPERIAN

Industry

- Agriculture
- Automotive and Part Manufacturer
- Building and Construction
- Chemical Industries
- Industrial Cleaning
- Maintenance
- Petro-chemical
- Water treatment
- Wood Industries

Product Use

Protection against a wide range of chemical products (detergents, some solvents, acids and bases).

Features & Benefits

Feature

Black neoprene Unsupported glove
Cotton flocked interior
Diamond finish

Benefit

COMFORT

Neoprene offers high flexibility

The cotton flocked interior provides the user with greater comfort and makes it easier to slip in the glove.

Its diamond finish provides a better grip in a damp environment.

RESISTANCE

Neoprene provides chemical and mechanical resistance.
It resists to acids, bases and solvents as well as industrial adhesives.
It is suitable for a wide range of chemicals.

SAFETY

Category III glove for constant quality.
The cuff helps to protect a large part of the forearm.

Technical Description

Description

CE CATEGORY : III Irreversible risks
In accordance with standards :
EN 420-2003 EEC Basic standard
EN 388-2003 Mechanical risks
EN 374-2003 Chemical risks

CHARACTERISTICS :

Unsupported polypropylene glove
Cotton flock inside
Diamond-pattern finish

Product Technology

Dipped Gloves

Glove/liner color

Black

Coating Color

neoprene and cotton

Length

33 cm

Thickness

0.72 mm

Harmlessness

In conformity with the European standards

Dexterity

Class 5

Sizes

7 to 11

EN 388 - Mechanical Hazards Abrasion Resistance

Abrasion resistance	3
Cutting resistance	1
Tear resistance	1
Puncture resistance	0

EN 374-3 Resistance to

Resistance to permeation by chemicals	AKL
---------------------------------------	-----

Packaging Label

Tagging

CE HONEYWELL
2095020 XX
EN 420
EN 388 : 3110
EN 374-3 : AKL

Certifications

 E.C. Declaration of Conformity

EC Category PPE

3

EC Certificate Number

0075/797/162/12/08/0487

EC Attestation

 EC Attestation

EC Attestation Number

0075/797/162/12/08/0487

Additional Information

User Manual

UI 104

User Information Sheet

104

Maintenance

Storage Information

Individual packaging.

Minimum sale packaging 10 pairs.

Boxes of 100 pairs.

Care Instructions

In order to keep its properties, this article should not be cleaned.



In application of the Directive ref. 89/686/EEC of the 21st of December 1989, concerning the alignment of member state legislation relating to personal protective equipment and the decrees n° 92-765, 766 and 768 of 29th of July 1992 concerning the transposition of this Directive into French law,

CTC

4, rue Hermann Frenkel - 69367 Cedex 07 - France

Tel +33 (0)4 72 76 10 10 - Fax +33 (0)4 72 72 76 10 00 - E-Mail : ctclyon@ctcgroupe.com - www.ctc.fr

Comité Professionnel de Développement Cuir Chaussure Maroquinerie - Loi 78-654 du 22.06.1978 - Siret 77564972600160 - Code NAF 9412Z - TVA FR 88775649726

authorized by decree of the Ministry of Work, Employment and Health of the 20th of December 2010,

registered under the number 0075, published in OJEC, delivers :

CE TYPE EXAMINATION CERTIFICATE 0075/797/162/12/08/0487

To the following model of personal protective equipment :

- * protective glove against mechanical risks, high chemical risks
- * reference of the model : 20 950 20
- * responsible for placing on the market :

HONEYWELL SAFETY PRODUCTS EUROPE

**Immeuble Edison ZI-Paris Nord II 33, Rue des Vanesses 95 958 ROISSY CDG
CEDEX
France**

Description of the protective glove, reference of technical rules verified in the context of the CE type examination and informations indicated on the product are detailed in the following pages of this certificate.

Drawn up in Lyon, on December 08th, 2008
Update 01 of September 14th, 2012

Issued by Nadine PIPAZ



NOTA : Any modification to new items of the personal protective equipment object of this CE type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the CE type approval certificate (change of adress, change of company status) should be brought to the attention of the notified body in accordance with law n° R. 4313-38 of the French Code of Work.

1. DESCRIPTION OF THE PROTECTIVE GLOVE

According to the technical file index : 02

Reference : 20 950 20

Basic Model

Dated : SEPTEMBER 2012

5 fingers glove Polychloroprene, cotton flocked. Diamond finishing

Available sizes :

07 08 09 10 11

Visual description :



Material :

	Colour	Material	Gauges	Thickness
PALM	Black	Polychloroprene		0,72 mm
BACK	Black	Polychloroprene		0,72 mm
LINING	Natural	Cotton flocked		0,72 mm
CUFF	Black	Polychloroprene		0,72 mm
BINDING				

2. PROTECTION SCOPE

Compliance with the essential requirements of the Directive 89/686/EEC has been verified by using following technical rules:

- * EN 420:2003+A1:2009 - General requirements for gloves and test methods
- * EN 388:2003 - Protective glove against mechanical risks
- * EN 374-2:2003 - Protection gloves against chemicals and micro-organisms
- * EN 374-3 : 2003 - Protection gloves against chemicals and micro-organisms
- * Innocuousness - At the date of certificate, the product is in compliance with Annex XVII of European REACH regulation (552/2009/EC and associated revisions).

This product is a category III (lethal or irreversible risk), this glove offers a high chemical protection.

References of test reports performed in order to verify the compliance with the requirements of the technical rules :

Laboratory	CTC Asia	CTC France	Other
EN 420		1202-2845/1	1112-16941/1
EN 388		0703-2934/1 1101-770/1 1202-2845/1 1205-6442/1	
EN 374-2		1101-770/1	
EN 374-3		0711-12029/1	

Performance levels offered against mechanical risks (EN 388:2003) are:

Abrasion resistance	Blade cut resistance	Tear strength resistance	Puncture resistance
3	1	1	0

The levels of performance have been measured on the palm



Performance levels offered against chemicals and micro-organisms (EN 374-2:2003) are:


Protection offered	Performance levels
Water tightness	conform
Air tightness	conform

Performance levels offered against chemicals (EN 374-3:2003) are:


Name of chemicals	Methanol	Caustic Soda 40%	Sulfuric acid 96%			
Letter code of the product	A	K	L			
Permeation performance levels	3	6	3			

3. MARKING

Each glove is clearly marked with the following information:

- * Logo of the authorized representative:
- *  marking with the number of the notified body in charge of the article 11A of Directive 89/686/CEE / EPI, 0075.
- * reference of the model: 20 950 20
- * size
- * pictogram for mechanical risks followed by the performance levels
- * pictogram for chemicals risks
- * information pictogram

Marking example:





E.C. Declaration of Conformity

The manufacturer or its legal representative supplier in the European Community:

Honeywell Safety Products Europe

Declares that the Personal Protective Equipment described here after conforms to the provisions of the European Council Directive 89/686/CEE:

Designation: POWERCOAT® 950-20 NEOFIT

Reference: 2095020

Standard(s): EN 374-3, EN 388, EN 420

This PPE is the object of the below EC examination certificate n°:

0075/797/162/12/08/0487

Delivered by:

CENTRE TECHNIQUE DU CUIR

4 rue Hermann Frenkel

69367

Lyon Cedex 07

Drawn up in Lyon, on the 02/05/2016

By: Fabrice beaugeard

Division: Gloves

HONEYWELL SAFETY PRODUCTS EUROPE
Immeuble Edison - ZI Paris Nord II - 33 rue des Vanesses
BP 50288 Villepinte - 95988 ROISSY CDG CEDEX
SAS au capital de 200 000 € - N° SIRET 3331 4990 7980
Tel: +33 1 49 90 79 79 - Fax: +33 1 49 90 79 80

ZI Paris Nord II 33, rue des Vanesses BP 50288 95958 Roissy CDG France

Tel: +33 (0) 49 90 79 79 Fax: +33 (0)1 49 90 79 80

www.honeywellsafety.com