



**PRODUCT NUMBER: 2342242/W**

## **Vertigo Black PU C&G B**

For handling sharp parts in a dry or slightly greasy environment.

# Honeywell

### Overview

**Reference Number**

2342242/W

**Product Type**

Gloves

**Range**

Cut and Puncture Protection

**Line**

Cut resistant

**Brand**

Honeywell

**Industry**

- Automotive and Part Manufacturer
- Aviation
- Building and Construction
- Catering
- Energy or Electricity
- Glass Industries
- Logistics
- Maintenance
- Metal steel
- Paper Industries
- Services
- Telecoms
- Transportation
- Utilities

**Product Use**

For handling sharp parts in a dry or slightly greasy environment.

### Features & Benefits

**Feature**

Black Spectra® knitted glove

Black polyurethane coating on palm and fingers tips

**Benefit**

COMFORT

The knitting technique helps to obtain a glove that conforms snugly to the hand, with good dexterity.

The glove offers maximum comfort and added sturdiness.

The cool Spectra® touch gives an added sensation of comfort.

The glove's ventilated back optimises its breathability.

RESISTANCE

The Spectra®/Lycra® thread provides outstanding properties against cuts.

The polyurethane coating at the palm provides outstanding abrasion resistance.

Caution! Do not expose this glove to the heat.

SAFETY

Marking of the cut resistance level on top of the glove for a better identification of the protection by safety manager and worker.

HYGIENE

Black colour dedicated to dirty applications and environments.

## Technical Description

### Description

CE CATEGORY : II Intermediary risks

In accordance with standards :

EN 420-2003 EEC Basic standard

EN 388-2016 Mechanical risks

### CHARACTERISTICS :

Black Spectra® knitted glove

Black polyurethane coating on palm and fingers tips

### Product Technology

Knitted Coated

### Fiber

Spectra®

### Gauge

13

### Glove/liner color

Black

### Coating Type

Polyurethane

### Coating Color

Black

### Length

23 cm

### Harmlessness

In conformity with the European standards

### Dexterity

Class 5

### Sizes

6 à 11

## EN 388 - Mechanical Hazards Abrasion Resistance

Abrasion resistance	4
Cutting resistance (Coupe test)	X
Tear resistance	4
Puncture resistance	2
Cutting resistance (TDM test)	B

## Certifications

### EU Category PPE

2

### Quality Assurance

ISO 9001 / 2000

### EU Certification

0075/797/162/06/18/1123

## Additional Information

### User Manual

UI 102

### User Information Sheet

102

## Maintenance

### Storage Information

Minimum packaging 10 pairs.

Cartons of 100 pairs.

### Care Instructions

This article can be cleaned industrially. Please contact Honeywell Safety Products.