



PRODUCT NUMBER: 2342545/W

## Vertigo Black PU C&G C

Handling sharp parts in a dry or greasy environment.

# Honeywell

### Overview

**Reference Number**

2342545/W

**Product Type**

Gloves

**Range**

Cut and Puncture Protection

**Line**

Cut resistant

**Brand**

Honeywell

**Industry**

- Automotive and Part Manufacturer
- Aviation
- Building and Construction
- Catering
- Energy or Electricity
- Glass Industries
- Logistics
- Maintenance
- Metal steel
- Paper Industries
- Services
- Telecoms
- Transportation
- Utilities

**Product Use**

Handling sharp parts in a dry or greasy environment.

### Features & Benefits

**Feature**

Black Spectra® and composite fiber knitted glove  
Black Polyurethane coating on palm

**Benefit****COMFORT**

The knitting technique helps to obtain a glove that conforms snugly to the hand, with good dexterity.  
The glove offers maximum comfort and added sturdiness.  
The cool Spectra® touch gives an added sensation of comfort.  
The tight knit (gauge 13) gives the glove perfect support, limits the penetration of dirt and offers a good touch.  
The glove's ventilated back optimises its breathability.

**RESISTANCE**

The Spectra®/lycra® thread provides outstanding properties against cuts.  
The polyurethane coating at the palm and fingertips provides outstanding abrasion resistance.  
The composite fiber fully protected by polyamide increase the cut resistance.  
Caution! Do not expose this glove to the heat.

**SAFETY**

Marking of the cut resistance level on top of the glove for a better identification of the protection by safety manager and worker.

**HYGIENE**

Its black colour enables work in a slightly soiled environment.

**Technical Description**

**Description**

CE CATEGORY : II Intermediary risks

In accordance with standards :

EN 420-2003 EEC Basic standards

EN 388-2003 Mechanical hazards

CHARACTERISTICS : Black Spectra® and composite fiber knitted glove

Black Polyurethane coating on palm

**Product Technology**

Knitted Coated

**Fiber**

Spectra® and composite fiber

**Gauge**

13

**Glove/liner color**

Black

**Coating Type**

PU

**Coating Color**

Black

**Length**

23,5 cm

**Harmlessness**

In conformity with the European standards

**Dexterity**

Class 5

**Sizes**

6 to 11

**EN 388 - Mechanical Hazards Abrasion Resistance**

Abrasion resistance	4
Cutting resistance (Coupe test)	X
Tear resistance	4
Puncture resistance	3
Cutting resistance (TDM test)	C

**Certifications**

**EU Category PPE**

2

**Quality Assurance**

ISO 9001 / 2000

**EU Certification**

0075/797/162/02/19/0467

## Photos & Images

## Additional Information

### **User Manual**

UI 102

### **User Information Sheet**

102

## Maintenance

### **Storage Information**

Minimum packaging 10 pairs.

Cartons of 100 pairs.

### **Care Instructions**

This article can be cleaned. For cleaning instructions, please contact Honeywell safety products