



SHOWA 4561

Combining a DuPont™ Kevlar® cut-resistant liner and sponge nitrile palm coating, the 4561 cut protection glove is engineered to endure. This glove offers cut, abrasion, and flame resistance without sacrificing comfort or precision. Its sponge nitrile palm coating ensures optimum grip when working in wet or greasy environments. A seamless knit reduces irritation and the elasticated, form-fitting design prevents dirt from entering.



BENEFITS

- Seamless knit
- Form-fitting
- Cut-resistant
- Abrasion-resistant
- Flame-resistant
- Breathable
- Robust grip
- Lightweight

INDUSTRIES



Automotive



Engineering



Glass



Manufacturing



Mechanical

FEATURES

- Liner made with Kevlar®
- Ergonomic
- Foam nitrile palm dip
- · Foam grip
- Elasticated wrist cuff

HAZARDS



Cut



Heat

NORMS & CERTIFICATES

Cat I

EN 388:2016

EN 407:2004

•

X2XXXX

EN 420: 2003+A1:2009

((

4X32D

TRADES & APPLICATIONS

- Automotive repairs and maintenance
- Light assembly of oil-coated pieces
- Assembly dry and oily parts
- Bottling
- Handling glass and windows
- White goods
- HVAC





PACKAGING

- Pair per polybag: 12
- Polybags per case: 6
- Pair per case: 72

LENGTH

220 - 260mm

SIZES

6/S | 7/M | 8/L | 9/XL | 10/XXL

COLOUR

- Yellow
- Black

MATERIAL

- Kevlar
- Seamless knit
- Spandex

USER INSTRUCTIONS

Gloves provide protection from chemical and mechanical hazards shown. Do not use gloves that show signs of wear. If required, cleanse outer surface of glove with running water. Discard used gloves in compliance with local regulations. Do not wear gloves when there is a risk of entanglement by moving parts of machines.

DISCLAIMER

The descriptions, characteristics, applications and photos are given for information purposes and do not constitute a contractual commitment. The manufacturer reserves the right to make any modifications it deems necessary.